Safety Data Sheet: CHEM-AQUA 777

Supercedes Date 09/06/2011

Issuing Date 04/10/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name CHEM-AQUA 777 Recommended use Water treatment chemical Information on Manufacturer CHEM-AQUA, INC

BOX 152170

IRVING, TEXAS 75015

Product Code 0182 Chemical nature Aqueous solution of alkali salts **Emergency Telephone Number** CHEMTREC® 800-424-9300 Telephone inquiry 972-579-2477

2. HAZARD IDENTIFICATION

Physical State Liquid Color Dark violet **Odor** Odorless

Category 1

Category 4

Category 2

Category 1

Category 1

Category 1 Category 2

Category 2

Category 2

GHS

Classification

Physical Hazards

Substances/mixtures corrosive to metal

Health Hazard

Acute Oral Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory Sensitization Skin Sensitization Reproductive Toxicity Carcinogenicity

Specific target organ systemic toxicity (repeated exposure)

Other hazards

None

Labeling Signal Word

DANGER



Hazard Statements

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if P264 - Wash face, hands and any exposed skin thoroughly after handling. inhaled

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H361 - Suspected of damaging fertility or the unborn child

H351 - Suspected of causing cancer H290 - May be corrosive to metals

Precautionary Statements

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P260 - Do not breathe mist

P281 - Use personal protective equipment as required

P270 - Do not eat, drink or smoke when using this product

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower P363 - Wash contaminated clothing before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a physician

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position

comfortable for breathing.

P342 + P311 - If experiencing respiratory symptoms, call a physician

P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a physician if unwell.

P406 - Store in a corrosion-resistant container.

P390 - Absorb spillage to prevent damage

P501 - Dispose of contents and container in accordance with applicable regulations.

5 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS					
Component	CAS-No	Weight %			
Sodium nitrite	7632-00-0	3-7			
Sodium metaborate, anhydrous	7775-19-1	3-7			
Sodium sulfite	7757-83-7	0.1-1			
Sodium hydroxide	1310-73-2	0.1-1			
Phenolphthalein	77-09-8	0.1-1			

4. FIRST AID MEASURES

General advice Do not get in eyes, on skin or on clothing. Do not breathe mist.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue

flushing for at least 15 minutes. Get medical attention immediately.

Skin Contact Remove immediately all contaminated clothing. Wash off immediately with plenty of water for at least

15 minutes. Get medical attention immediately.

Inhalation Move to fresh air. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial

respiration. Get medical attention immediately.

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never Ingestion

give anything by mouth to an unconscious person.

Notes to physician The product causes burns of eyes, skin and mucous membranes. Control of circulatory system,

> shock therapy if needed. Since reversion of methemoglobin to hemoglobin occurs spontaneously after termination of exposure, moderate degrees of cyanosis need to be treated only by supportive

measures. May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

Flash Point Does not flash Method Not applicable Flammability Limits in Air % Hydrogen, by reaction with metals. Upper 75 Lower 4

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions. Contact with metals may evolve flammable hydrogen gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 3 Flammability 1 Instability 0 **HMIS** Health 3 Flammability 1 Instability 0

6. ACCIDENTAL RELEASE MEASURES

Use personal protective equipment. Ensure adequate ventilation. Prevent further leakage or spillage **Personal Precautions**

if safe to do so. Material can create slippery conditions.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

Neutralizing Agent Acetic acid, diluted.

7. HANDLING AND STORAGE

Handling Do not get in eyes, on skin or on clothing. Do not breathe mist.

Storage Store in original container. Metal containers must be lined. Keep container tightly closed in a dry and

well-ventilated place. Freezing will affect the physical condition but will not damage the material.

Thaw and mix before using.

120 °F / 49 °C Storage Temperature Minimum 35 °F / 2 °C Maximum **Storage Conditions** Indoor Outdoor Heated Refrigerated Χ

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	
Sodium nitrite	No data available	No data available	No data available	
Sodium metaborate, anhydrous	TWA: 2 mg/m ³	No data available	No data available	
Sodium sulfite	No data available	No data available	No data available	

Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	10 mg/m ³
			Ceiling: 2 mg/m ³
Phenolphthalein	No data available	No data available	No data available

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should

be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

Eye/Face Protection Tightly fitting safety goggles. Face-shield.

Skin Protection Wear suitable protective clothing, Impervious gloves.

Respiratory Protection In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations Wear protective gloves/clothing. Ensure that eyewash stations and safety showers are close to the

workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Non viscous Viscosity Color Dark violet Odor Odorless **Odor Threshold** Not applicable Appearance Transparent Specific Gravity nН 12.4 1.1

 Evaporation Rate
 0.53 (Butyl acetate=1)
 Percent Volatile (Volume)
 94

 VOC Content (%)
 0
 VOC Content (g/L)
 0

 Vapor Pressure
 15.4 mmHg @ 70°F
 Vapor Density
 0.6 (Air = 1.0)

Solubility Completely soluble n-Octanol/Water Partition No data available Melting Point/Range No data available **Decomposition Temperature** No data available **Boiling Point/Range** > 212 °F / 100 °C Flammability (solid, gas) No data available Flash Point Does not flash Method Not applicable

Autoignition Temperature No information available.

Flammability Limits in Air % Hydrogen, by reaction with metals. Upper 75 Lower 4

10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur.

Conditions to Avoid None known

Incompatible ProductsStrong oxidizing agents, Acids, Alkali metals, Ammonia, Amines.Hazardous Decomposition ProductsCarbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas, Sulfur

oxides, Hydrogen, by reaction with metals.

Possibility of Hazardous Reactions

None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 3, 2009):

Oral LD50 1,531.12

Dermal LD50No information available

Inhalation LC50

Gas No information available

 Mist
 101.85

 Vapor
 101.85

Principle Route of Exposure

Primary Routes of Entry

Skin contact, Eye contact, Inhalation.

Inhalation, Ingestion, Skin Absorption.

Acute Effects

Eyes Corrosive to the eyes and may cause severe damage including blindness.

Skin Severe irritation. May cause allergic skin reaction.

Inhalation Harmful by inhalation. Causes burns. May cause allergic respiratory reaction. Methemoglobinemia.

Blood disorder may occur after prolonged inhalation.

If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the

esophagus and the stomach. May produce an allergic reaction. Blood disorder may occur after

ingestion. Components of the product create formation of methemoglobin.

Chronic Toxicity Inhaled corrosive substances can lead to a toxic edema of the lungs. The absorption of this product

into the body may lead to the formation of methemoglobin that, in sufficient concentration, causes cyanosis. Liver and kidney injuries may occur. May cause skin sensitization in some individuals. May cause respiratory sensitization in some individuals. Contains a known or suspected

reproductive toxin. Contains a known or suspected carcinogen.

Target Organ Effects Liver, Kidney, Spleen, Blood, Heart, Testes, Central nervous system, Immune system, Respiratory

system, Eyes, Skin.

Aggravated Medical Conditions Skin disorders, Respiratory disorders, Neurological disorders, Blood disorders, Liver disorders,

Kidney disorders, Heart disease.

Component Information

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Sodium nitrite	= 85 mg/kg (Rat)	no data available	= 5.5 mg/L (Rat) 4 h	no data available	no data available
Sodium metaborate, anhydrous	no data available	no data available	no data available	no data available	no data available
Sodium sulfite	= 820 mg/kg (Rat)	no data available	> 22 mg/L (Rat) 1 h	no data available	no data available
Sodium hydroxide	no data available	= 1350 mg/kg (Rabbit)	no data available	no data available	no data available
Phenolphthalein	no data available	no data available	no data available	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Sodium nitrite	no data available	no data available	no data available	no data available	liver, kidneys, nervous
					system, spleen, blood,
					heart
Sodium metaborate, anhydrous	no data available	no data available	no data available	Χ	testes
Sodium sulfite	no data available	Skin sensitization,	no data available	no data available	Respiratory system,
		respiratory sensitization			Immune system, CNS
Sodium hydroxide	no data available	no data available	no data available	no data available	eyes, respiratory
					system, skin
Phenolphthalein	no data available	no data available	no data available	no data available	lungs

Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
Sodium nitrite	not applicable	not applicable	not applicable	not applicable	not applicable
Sodium metaborate, anhydrous	not applicable	not applicable	not applicable	not applicable	not applicable
Sodium sulfite	not applicable	not applicable	not applicable	not applicable	not applicable
Sodium hydroxide	not applicable	not applicable	not applicable	not applicable	not applicable
Phenolphthalein	not applicable	Group 2B	Reasonably Anticipated	X	not applicable

12. ECOLOGICAL INFORMATION

Product Information Component Information No information available.

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Sodium nitrite	no data available	LC50 0.092 - 0.13 mg/L	no data available	no data available	-3.7
		Oncorhynchus mykiss 96 h			
		LC50 0.4 - 0.6 mg/L Oncorhynchus			
		mykiss 96 h			
		LC50 0.65 - 1 mg/L Oncorhynchus			
		mykiss 96 h			
		LC50 = 0.19 mg/L Oncorhynchus			
		mykiss 96 h			
		LC50 = 2.3 mg/L Pimephales			
		promelas 96 h			
		LC50 = 20 mg/L Pimephales			
		promelas 96 h			
Sodium metaborate, anhydrous	no data available	no data available	no data available	no data available	N/A
Sodium sulfite	no data available	LC50 220 - 460 mg/L Leuciscus idus	EC50 = 770 mg/L 17 h	330: 24 h Psammechinus	-4
		96 h		miliaris mg/L LC50	
Sodium hydroxide	no data available	LC50 = 45.4 mg/L Oncorhynchus	no data available	no data available	N/A
		mykiss 96 h			
Phenolphthalein	no data available	no data available	no data available	no data available	N/A

Persistence and DegradabilityNo information available.BioaccumulationNo information available.MobilityNo information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal

14. TRANSPORT INFORMATION

DOT

Proper Shipping NameCorrosive liquid, basic, inorganic, n.o.s.Hazard Class8UN-NoUN3266

Page 4 / 6

Packing Group II

Sodium Nitrite RQ = 1851.44 lbs Reportable Quantity (RQ)

Description UN3266, Corrosive liquid, basic, inorganic, n.o.s., (Sodium hydroxide), 8, PG II

TDG

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s

Hazard Class UN3266 **UN-No**

Packing Group

ICAO

UN-No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s.

Ш

Hazard Class Packing Group

Shipping Description UN3266, Corrosive liquid, basic, inorganic, n.o.s., (Sodium hydroxide), 8, PG II

IATA

UN-No

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s.

Hazard Class 8 **Packing Group** II **ERG Code** 9L

Shipping Description UN3266, Corrosive liquid, basic, inorganic, n.o.s., (Sodium hydroxide), 8, PG II

IMDG/IMO

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s.

Hazard Class UN-No UN3266 **Packing Group** Ш EmS No. F-A, S-F

Shipping Description UN3266, Corrosive liquid, basic, inorganic,n.o.s.,(Sodium hydroxide), 8, PG II

15. REGULATORY INFORMATION

Inventories

TSCA Complies DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals

which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Sodium nitrite	7632-00-0	3-7	1.0
Phenolphthalein	77-09-8	0.1-1	0.1

SARA 311/312 Hazardous Categorization

or and the transfer and the control of the control				
Acute Health Hazard Chronic Health Hazard Fire Hazard		Sudden Release of	Reactive Hazard	
			Pressure Hazard	
Yes	Yes	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sodium nitrite	100 lb	Not applicable
Sodium metaborate, anhydrous	Not applicable	Not applicable
Sodium sulfite	Not applicable	Not applicable
Sodium hydroxide	1000 lb	Not applicable
Phenolphthalein	Not applicable	Not applicable

16. OTHER INFORMATION

Rachael Mohochi Prepared By Supercedes Date 09/06/2011 04/10/2014 **Issuing Date**

Reason for Revision No information available. Glossary No information available. No information available. List of References.

CHEM-AQUA, INCassumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the

product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.