

SAFETY DATA SHEET

Issuing Date 01-Aug-2014 Revision Date 01-Aug-2014 **Revision Number** 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Offset Glaze Remover

Other means of identification

4-4968 Product Code(s)

None **Synonyms**

Recommended use of the chemical and restrictions on use

Recommended Use Offset printing

No information available Uses advised against

Supplier's details

Supplier Address

Mark Andy, Inc.

18081 Chesterfield Airport Rd. Chesterfield, MO 63005

TEL: 636-532-4433

Emergency telephone number

Emergency Telephone

Chemtrec 1-800-424-9300

Number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Aspiration Toxicity	Category 1
Flammable liquids	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word **Danger**

Hazard Statements

May be harmful if swallowed

Causes skin irritation

Causes serious eye irritation

May be fatal if swallowed and enters airways

Flammable liquid and vapor.



Appearance Clear

Physical State Liquid.

Odor Kerosene

Precautionary Statements

Prevention

- Wash face, hands and any exposed skin thoroughly after handling.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- · Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

• Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

Skin

- If skin irritation occurs: Get medical advice/attention.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Wash contaminated clothing before reuse.

Ingestion

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- · Do NOT induce vomiting.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

- · Store locked up.
- Store in a well-ventilated place. Keep cool.

Disnosa

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

5.33333% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Naphtha (petroleum), hydrotreated heavy	64742-48-9	60-70	*
Hexylene glycol	107-41-5	10-20	*

2-Butoxyethanol	111-76-2	10-20	*
-----------------	----------	-------	---

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Skin ContactWash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Consult a physician if necessary

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition. Use personal protective equipment. Avoid contact with skin,

eyes and clothing. Ensure adequate ventilation.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Keep away from open flames, hot surfaces and sources of ignition. Take precautionary

measures against static discharges. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not take internally. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep tightly closed in a dry and cool place. Keep away from open flames, hot surfaces and

sources of ignition. Keep out of the reach of children.

Incompatible Products Oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hexylene glycol 107-41-5	Ceiling: 25 ppm	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m ³	Ceiling: 25 ppm Ceiling: 125 mg/m³
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body ProtectionChemical splash goggles.
Impervious gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance Clear

Odor Kerosene Odor Threshold No information available

Values Remarks/ - Method **Property** pН Not applicable None known Melting Point/Range Not applicable None known **Boiling Point/Boiling Range** 325 - 375 °F None known **Flash Point** 105 °F None known **Evaporation rate** No data available None known No data available None known Flammability (solid, gas) Flammability Limits in Air upper flammability limit No data available

upper flammability limitNo data availablelower flammability limitNo data availableVapor PressureNo data available

Vapor PressureNo data availableNone knownVapor DensityNo data availableNone knownSpecific Gravity0.792None known

Water Solubility Insoluble None known No data available Solubility in other solvents None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition Temperature** None known **Decomposition Temperature** No data available None known No data available **Viscosity** None known

Flammable Properties Not flammable

Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks. Incompatible products.

Incompatible materials

Oxidizing agents.

Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Smoke

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. Symptoms of overexposure are dizziness,

headache, tiredness, nausea, unconsciousness, cessation of breathing

Eye Contact Causes serious eye irritation.

Skin ContactCauses skin irritation Prolonged skin contact may defat the skin and produce dermatitis. **Ingestion**Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for

aspiration if swallowed.

	Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
N	laphtha (petroleum), hydrotreated heavy	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-
	Hexylene glycol	= 3692 mg/kg (Rat)	12,3000 mg/kg (Rabbit)	> 310 mg/m ³ (Rat) 1 h

2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm
		= 2270 mg/kg (Rat)	(Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available. **Mutagenic Effects** No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Chemical Name	ACGIH	IARC	NTP	OSHA
ſ	2-Butoxyethanol	A3	Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)
Group 3: Not Classifiable as to its Carcinogenicity to Humans
Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration Hazard May be fatal if swallowed and enters airways

Numerical measures of toxicity - Product

Acute Toxicity 5.33333% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral3478 mg/kg; Acute toxicity estimate **LD50 Dermal**8010 mg/kg; Acute toxicity estimate

Inhalation

dust/mist13.5 mg/L; Acute toxicity estimateVapor99 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Naphtha (petroleum), hydrotreated heavy 64742-48-9		LC50 96 h: = 2200 mg/L (Pimephales promelas)		LC50 96 h: = 2.6 mg/L (Chaetogammarus marinus)
Hexylene glycol 107-41-5		LC50 96 h: 10500 - 11000 mg/L flow-through (Pimephales promelas) LC50 96 h: = 10000 mg/L static (Lepomis macrochirus) LC50 96 h: = 8690 mg/L flow-through (Pimephales promelas) LC50 96 h: = 10700 mg/L static (Pimephales promelas)	EC50 = 3038 mg/L 5 min	EC50 48 h: 2700 - 3700 mg/L (Daphnia magna)
2-Butoxyethanol 111-76-2		LC50 96 h: = 1490 mg/L static (Lepomis macrochirus) LC50 96 h: = 2950 mg/L (Lepomis macrochirus)		EC50 24 h: 1698 - 1940 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation

Chemical Name	Log Pow
Hexylene glycol	0.13986
2-Butoxyethanol	0.81

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT

Proper shipping name Consumer commodity

Hazard Class ORM-D

Description Consumer commodity (Naphtha), ORM-D

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardYesSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island

Hexylene glycol	X	X	Х		X
2-Butoxyethanol	X	X	X	Χ	Χ

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date01-Aug-2014Revision Date01-Aug-2014Revision NoteInitial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet
